



Paediatric information for parents: orthoptics and pharmacy

# Atropine eye drops for pre-dilation before an appointment



You have been given Atropine 1% eye drops to be used in your child's eyes **for three days before their next visit.**

These drops are used to widen the pupil (black central area of the eye) and relax the muscles inside the eye that control the focusing. This will enable us to examine the inside of the eyes and measure whether there is a need for glasses. This information aims to answer any questions you may have. If you are still unsure about anything, please contact the orthoptics department. Contact details are listed towards the end of this leaflet.

### When to administer the eye drops

The atropine eye drops will either be given to you in clinic, or they will be posted/couriered to you. They will be individual single dose units. The drops must be given once daily for three days in a row **before** the next clinic visit, so that your child's eyes are ready for examination, but not given on the day of the clinic. You will be told by your clinician when to put them in.

**The date to use the drops and instructions will be recorded here:**

Date	
	Administer ONE drop into BOTH EYES
	Administer ONE drop into BOTH EYES
	Administer ONE drop into BOTH EYES
	<b>No drops.</b> This is your appointment date.

You can put the drops in at a convenient time for you, ideally around the same time each day. **Some parents and children prefer to use them before bedtime as they can cause blurriness.**

### How do the drops work?

The drops relax the focus muscles of the eye and relax the muscles of the

eye responsible for the pupil (the pupil is the central black area in the middle of the iris which is the coloured part of the eye). See image below of one eye dilated, that is with a large pupil.



### How to use the eye drops

Eye drops are not always easy to put in, especially in a child, so please ask the orthoptics or pharmacy team for advice if you feel this may be very difficult. If, for example you have arthritis and difficulties squeezing drops out then we can advise on various eye drop aids to help you with this.

The general principles to put these eye drops in are:

1. Check the expiry date, to make sure the drop is in date.
2. Wash your hands before using the eye drop.
3. Remove one of the single dose drop units from the box.
4. Twist off the cap from the end of the nozzle.
5. Either with your child lying down, or in a seated position, tilt their head back so they are looking up. Gently pull the eyelids apart and squeeze one drop into the inside of the lower

- lid. (If you are unsure if the drop has gone in, then put another drop in).
6. Repeat with the other eye.
7. If possible, gently press on the inner corners of your child's eyelids (next to their nose) for 30-60 seconds to help prevent the drop running into the nose and being swallowed. Do not be worried if you cannot manage doing this.
8. Discard the eye drop (even though there is likely to be liquid left inside).
9. Wash your own hands to avoid getting any drops in your own eyes.
10. Wash your child's hands to avoid them swallowing any of the eye drop if they rub their eyes and then put their hand in their mouth.

If you have been given ointment instead of drops, you can use it in the same way, putting a small amount of ointment inside the lower lid each time.

### What to expect

Please inform your child's school about the use of the drops, and that your child will have blurred vision and enlarged pupils for **at least a week**.

### Possible side effects

As with all medicines, some side effects may occur. The drops can cause temporary stinging and you may notice that the pupils of the eyes gradually get larger. Your child may also tell you that their vision is blurred. This is due to the relaxation of the focus muscles inside the eye and is completely normal with these drops.



